

# INDEX MAPS.

## T. 4 N. R. 7 E. 2<sup>nd</sup> Mer.

	414		414		414		414		413		413	
			415		415		415		415		416	
418	6	437	5	440	4	440	3	440	2	439	1	413
	<del>437</del>		<del>438</del>		<del>438</del>		<del>438</del>		<del>439</del>		<del>435</del>	
417	7	436	8	436	9	436	10	435	11	435	12	413
	<del>433</del>		<del>433</del>		<del>433</del>		<del>434</del>		<del>434</del>		<del>431</del>	
417	18	432	17	432	16	431	15	431	14	430	13	412
	<del>428</del>		<del>428</del>		<del>429</del>		<del>429</del>		<del>430</del>		<del>430</del>	
417	19	428	20	427	21	427	22	427	23	426	24	412
	<del>424</del>		<del>424</del>		<del>425</del>		<del>425</del>		<del>425</del>		<del>426</del>	
416	30	424	29	422	28	421	27	420	26	419	25	411
	<del>423</del>		<del>423</del>		<del>422</del>		<del>421</del>		<del>420</del>		<del>419</del>	
416	31	423	32	422	33	420	34	419	35	418	36	411
	409		409		409		410		410		410	

## T. 5 N. R. 7 E. 2<sup>nd</sup> Mer.

	449		448		448		448		448		448	
			449		449		450		450		450	
451	6	472	5	466	4	463	3	459	2	455	1	447
	<del>471</del>		<del>471</del>		<del>466</del>		<del>462</del>		<del>459</del>		<del>455</del>	
451	7	471	8	466	9	462	10	458	11	454	12	447
	<del>470</del>		<del>470</del>		<del>465</del>		<del>461</del>		<del>458</del>		<del>454</del>	
451	18	470	17	465	16	461	15	457	14	454	13	446
	<del>469</del>		<del>469</del>		<del>465</del>		<del>461</del>		<del>457</del>		<del>453</del>	
451	19	469	20	464	21	460	22	457	23	453	24	446
	<del>468</del>		<del>468</del>		<del>464</del>		<del>460</del>		<del>456</del>		<del>453</del>	
450	30	468	29	464	28	460	27	456	26	452	25	446
	<del>467</del>		<del>467</del>		<del>463</del>		<del>459</del>		<del>456</del>		<del>452</del>	
450	31	467	32	463	33	459	34	455	35	452	36	445
	444		444		443		443		443		443	
			444		445		445		445		445	

The figures on the lines refer to the page.

Township N. 4 North, Range N. 7 E. 2. Mer. Indiana 409

South Boundary var. 5.50. 'E.

East On S. boundary of Sec. 31  
40.00 Set q. Sec. post, from which  
a W. Oak 12 in. dia. bears S 24 W 13 lks. dist. &  
a Beech 14 " " " N 14 E 27 " "  
61.40 a Beech 15 " "  
67.00 a Brook 3 lks. wide Course N.  
80.00 Set post Cor. to Sec. 31 & 32, from which  
a Beech 16 in. dia. bears S 85 E 4 lks. dist. &  
a No. 18 " " " S 5 W 14 " "  
Level rich land timber Beech Poplar &c.

---

East On S. boundary of Sec. 32.  
21.00 a Brook 3 lks. wide Course S.  
31.70 a W. Oak 24 in. dia.  
34.00 a Brook 3 lks. wide Course S  
40.00 Set q. Sec. post, from which  
a Sugar 12 in. dia. bears S 26 W 19 lks. dist. &  
a Beech 18 " " " N 67 E 31 " "  
44.00 a Brook 6 lks. wide Course S. W.  
60.50 a Hickory 18 in. dia.  
80.00 Set post Cor. to Sec. 32 & 33, from which  
a Beech 30 in. dia. bears S 23 W 6 lks. dist. &  
a Gum 6 " " " N 19 E 30 " "  
Level rich land timber Beech Sugar Ash &c.

---

East On S. boundary of Sec. 33.  
40.00 Set q. Sec. post, from which  
a Beech 16 in. dia. bears N 3 W 18 lks. dist. &  
a No. 10 " " " S 17 W 41 " "  
49.60 a No. 38 " "  
50.00 a Brook 3 lks. wide Course S.  
70.60 a Beech 12 in. dia.  
75.00 a Brook 3 lks. wide Cours S.  
80.00 Set post Cor. to Sec. 33 & 34, from which  
a Beech 30 in. dia. bears S 23 W 38 lks. dist. &

T. N. R. E. 2<sup>nd</sup> Mer. Indiana

Ch. Lk.

a Beech 16 in. dia. bears N 52 E 59 lks. dist.  
Over rich level land timber Beech, Ash, Sugar, Oak &c.

East On S. boundary of Sec. 34

2.00 a Brook 3 lks. wide Course S. W.

11.00 a Beech 15 in. dia.

30.00 a Brook 3 lks. wide Course S. E.

32.60 a Beech 10 in. dia.

36.50 a Brook 3 lks. wide Course S.

40.00 Set q. Sec. post, from which  
an Ash 18 in. dia. bears S 38 W 10 lks. dist. &  
a Beech 20 " " " N 42 E 34 " "

46.00 a Brook 5 lks. wide Course S.

62.00 a No. 5 " " " S.

80.00 Set post Cor. to Secs. 34 & 35, from which  
a Beech 15 in. dia. bears East 24 lks. dist. &  
a No. 12 " " " N 42 W 47 " "  
this Corner stands in a Brook 15 lks. wide Course  
Running S. W. rich level land timber with Ash  
Beech Sugar &c.

East On S. boundary of Sec. 35.

6.00 a Beech 16 in. dia.

30.00 a Gun 18 " "

40.00 Set q. Sec. post, from which  
a Beech 30 in. dia. bears N 62 W 24 lks. dist. &  
a Sugar 14 " " " S 4 W 41 " "

55.50 a Beech 24 " "

78.50 a Brook 6 lks. wide Course S.

80.00 Set post Cor. to Secs. 35 & 36, from which  
a Hickory 8 in. dia. bears N 27 E 15 lks. dist. &  
a Beech 10 " " " S 47 W 32 " "  
Level rich land timber Oak, Beech, Poplar &c.

East On S. boundary of Sec. 36.

20.00 A. Brook 6 lks. wide Course S. W.

# T4N-R7E. 2<sup>nd</sup> Mer. Indiana 411

ch. P. lks

- 40.00 Set q. Sec. post, from which  
 a Hickory 12 in. dia. bears S 24 E 34 lks. dist. 4  
 a Beech 12 " " " N 14 E 50 " "  
 75.00 a Brook 3 lks. wide Course S.  
 80.00 Set post Cor to Townships 344 North, Ranges 748  
 East, from which  
 a Hickory 14 in. dia. bears S 82 W 15 lks. dist. 4  
 a B. Oak 24 " " " S 68 E 30 " "  
 Level rich Oak land - August 23<sup>rd</sup> 1806.

## East Boundary var. 5° 50' E

North On E. boundary of Sec. 36

- 20.78 a Beech 14 in. dia.  
 25.00 a Brook 3 lks. wide Course S. W.  
 40.00 Set q. Sec. post, from which  
 a Beech 12 in. dia. bears N 33 E 39 lks. dist. 4  
 a Gum 24 " " " S 11 E 39 " "  
 51.60 a Beech 15 " "  
 53.00 a Brook 10 lks. wide Course N. W.  
 73.70 a Hickory 20 in. dia.  
 80.00 Set post Cor. to Secs. 25 & 36, from which  
 an Ash 12 in. dia. bears S 46 W 11 lks. dist. 4  
 an Elm 18 " " " N 46 E 13 " "  
 Generally level rich land timber Oak Ash Beech &c.

North On E. boundary of Sec. 25.

- 10.00 a Brook 3 lks. wide Course N. W.  
 23.00 a Do. 20 " " " N. W.  
 40.00 Set q. Sec. post, from which  
 a Beech 30 in. dia. bears S 55 E 4 lks. dist. 4  
 a Do. 15 " " " N 53 W 49 " "  
 44.50 a Brook 3 lks. wide Course S. W.  
 55.38 a Beech 24 in. dia.  
 80.00 Set post Cor. to Secs. 24 & 25, from which  
 a Poplar 36 in. dia. bears S 19 E 17 lks. dist. 4  
 a Sugar 10 " " " N 34 E 42 " "



412 S. N. R. & E. 2<sup>nd</sup> Mer. Ind. a  
ch. l. l. l. l.  
Generally good rich Oak, Land

---

North On E. boundary of Sec. 24.

25.70 a Beech 18 in. dia.

30.00 a Brook 20 lbs. wide Course W.

40.00 Set of Sec. post, from which  
a Beech 8 in. dia. bears S 70 E 12 lbs. dist. 4  
a No. 30 " " " S 86 W 20 " "

47.00 a Brook 3 lbs. wide Course W.

67.00 a No. 15 " " " W.

80.00 Set post Cor to Sec. 13 & 24, from which  
a Beech 18 in. dia. bears N 40 E 26 lbs. dist. 4  
a No. 20 " " " S 88 W 17 " "

Pidgey rich land timber Oak Sugar Beech Poplar, &c.

---

North On E. boundary of Sec. 13.

7.89 a Sugar 18 in. dia.

12.00 a Brook 15 lbs. wide Course W.

33.00 a Beech 15 in. dia.

40.00 Set of Sec. post, from which  
a Beech 3 in. dia. bears S 11 E 20 lbs. dist. 4  
an Elm 18 " " " N 11 W 31 " "

56.70 a W. Oak 40 " "

80.00 Set post Cor to Sec. 12 & 13, from which  
a Beech 24 in. dia. bears N 6 W 50 lbs. dist. 4  
a No. 18 " " " S 66 W 40 " "

Generally good land timber Sugar, Beech, Oak, &c.

---

North On E. boundary of Sec. 12.

4.17 an Ash 24 in. dia.

18.00 a Brook 12 lbs. wide Course N. W.

40.00 Set of Sec. post, from which  
a Beech 12 in. dia. bears N 11 W 37 lbs. dist. 4  
a No. 16 " " " S 71 E 27 " "

52.00 a Brook 3 lbs. wide Course W

58.80 a Beech 14 in. dia.

# 413

## Twp N 7 E. 2<sup>d</sup> Mer. Ind.

Ch. M.

73. 00 a Brook 4 lks. wide Course W.  
 80. 00 Set post Cor. to Sect. 1 & 12, from which  
 a Beech 20 in. dia. bears N 63 E 6 lks. dist. &  
 an Elm 12 " " " N 39 W 36 " "  
 Rich low land timber Beech Elm Oak Sugar &c.

North On E. boundary of Sec. 1.

30. 00 an Ash 24 in. dia.  
 32. 50 a River 2.20 lks. wide Course West  
 40. 00 Set q. Sec. post, from which  
 an Elm 16 in. dia. bears S 58 E 29 lks. dist. &  
 a Sugar 12 " " " N 27 W 27 " "  
 63. 50 a Creek 1.00 lks. wide Course W  
 80. 00 Set post Cor. to Townships 4 & 5. North Ranges  
 7 & 8 East, from which  
 a Beech 14 in. dia. bears S 57 W 14 lks. dist. &  
 a Do. 14 " " " N 24 E 28 " "  
 Between the Creeks 1<sup>st</sup> rate land N. of the <sup>last</sup> Creek  
 the bottoms overflows timber beech Oak Ash Sugar &c.

North Boundary. Aug. 24<sup>th</sup> 1806

West On Rand<sup>m</sup>. S. boundary of Sec 36, T 5 N. R 7 E

3. 00 a Brook 3 lks. wide Course S.  
 15. 00 a Spring — " " " S.  
 20. 00 a Do. — " " " S.  
 33. 00 a Brook 3 " " " S. W  
 40. 00 Set temp. q. Sec. post  
 41. 50 a Brook 20 lks. wide Course S.  
 55. 00 a Do. 3 " " " S.  
 80. 00 Set temp. Cor. to Sect. 35 & 36, T. 5 N. R. 7 E.  
 Good land & good water, timber Oak, Beech &c.

West On Rand<sup>m</sup>. S. boundary of Sec. 35, T. 5 N. R. 7 E.

15. 00 A River 2.50 lks. wide Course N. W.  
 40. 00 Set temp. q. Sec. post  
 45. 00 part of the river running N.

# Lot N. R. 7 E. T. Mer. Ind. a

ch. P. Lk.

- 68.50 a River 3.00 lks. wide Course S. W.  
 80.00 Set tempy. Cor. to Sec. 34 & 35, T. 5 N. R. 7 E.  
 This mile passes over rich bottom land Over flows  
 in time of high water

- West On Random S. boundary of Sec. 34, T. 5 N. R. 7 E.  
 20.00 a River — lks. wide Course North  
 40.00 Set tempy. q. Sec. post  
 45.00 Come to the river and kept down it.  
 55.00 leave the river running S. W.  
 81.00 Set tempy. Cor. to Sec. 33 & 34, T. 5 N. R. 7 E.  
 Over flowed bottom

- West On Random S. boundary of Sec. 33, T. 5 N. R. 7 E.  
 40.00 Set tempy. q. Sec. post  
 52.00 a Brook 3 lks. wide Course S.  
 76.00 a Do 3 " " " S.  
 80.00 Set tempy. Cor. to Sec. 32 & 33, T. 5 N. R. 7 E.  
 Broken with quite timber Beech Elm etc.

- West On Random S. boundary of Sec. 32, T. 5 N. R. 7 E.  
 17.00 a Brook 3 lks. wide Course S.  
 40.00 Set tempy. q. Sec. post.  
 80.00 Set tempy. Cor. to Sec. 31 & 32, T. 5 N. R. 7 E.  
 A wet Beech flat

- West On Random S. boundary of Sec. 31, T. 5 N. R. 7 E.  
 25.00 a Brook 10 lks. wide Course S. W.  
 34.00 a Do. 8 " " " S.  
 40.00 Set Tempy. q. Sec. post  
 80.00 Intersected the Range line 1.00 lks. N. of the  
 Corner to Township 4 & 5 N. Ranges 6 & 7 E.  
 Over Pretty good beech land

Variation 5° 50' E

East On true line S. boundary of Sec. 31, T. 5 N. R. 7 E.

Let R7 E. 2<sup>d</sup> Mer. Ind. 415

Ch. Lkn.

- 40.00 Set q<sup>r</sup>. Sec. post, from which  
an Ash 12 in. diam. bran S70 E 31 lkn. dist. of  
an Elm 8 " " " N60 W 39 " "
- 80.00 Set post Cor. to Sec. 31 & 32, T5 N. R7 E, from which  
a Poplar 15 in. diam. bran N35 W 17 lkn. dist. of  
a Beech 30 " " " S48 E 24 " "

East On true line S. boundary of Sec. 32, T5 N. R7 E.

- 40.00 Set q<sup>r</sup>. Sec. post, from which  
a Beech 18 in. diam. bran N24 W 20 lkn. dist. of  
a Poplar 40 " " " S30 E 27 " "
- 80.00 Set post Cor. to Sec. 32 & 33, T5 N. R7 E, from which  
a Beech 12 in. diam. bran N43 W 10 lkn. dist. of  
a Do. 18 " " " S22 E 21 " "

East On true line S. boundary of Sec 33, T5 N. R7 E.

- 40.00 Set q<sup>r</sup>. Sec. post, from which  
a Beech 36 in. diam. bran S79 W 22 lkn. dist. of  
a Do. 14 " " " N62 E 26
- 80.00 Set post Cor. to Sec. 33 & 34, T5 N. R7 E, from which  
an Ash 14 in. diam. bran N16 W 25 lkn. dist. of  
an Elm 8 " " " N81 E 45 " "

East On true line S. boundary of Sec. 34, T5 N. R7 E.

- 40.00 Set q<sup>r</sup>. Sec. post, from which  
a Poplar 50 in. diam. bran S25 E 12 lkn. dist. of  
a Sugar 24 " " " N28 E 21 " "
- 80.00 Set post Cor. to Sec. 34 & 35, T5 N. R7 E, from which  
a Hickory 9 in. diam. bran S43 W 18 lkn. dist. of  
a Sugar 10 " " " N57 E 34 " "

East On true line S. boundary of Sec. 35, T5 N. R7 E

- 40.00 Set q<sup>r</sup>. Sec. post, from which  
a Sugar 12 in. diam. bran N23 W 19 lkn. dist. of  
a Beech 12 " " " S27 E 26 " "
- 80.00 Set post Cor. to Sec. 35 & 36, T5 N. R7 E, from which



T4 N. R7 E. 2<sup>d</sup> Mer. Ind.<sup>a</sup>ch. 1<sup>st</sup> 1/2

a Sugar 10 in. diam. bear N24E10 lks. dist. of  
a Beech 24 " " " S33W20 " "

East Outline line S. boundary of Sec. 36, T4 N. R7 E.

40.00 Set of Sec. post, from which

a Beech 40 in. diam. bear N60W13 lks. dist. of

a Do. 30 " " " S75E32 " "

80.00 to Township Corner.

West Boundary. var. 5.50' E.

North On E. boundary of Sec. 36, T4 N. R6 E.

10.00 a Brook 15 lks. wide Course W.

13.00 a Gum 30 in. diam.

40.00 Set of Sec. post, from which

a Beech 20 in. diam. bear N57W25 lks. dist. of

a W. Oak 6 " " " S40E12 " "

62.00 a Brook 3 lks. wide Course S. E.

76.00 a W. Oak 40 in. diam.

80.00 Set post Cor. to Sec. 25 of 36, T4 N. R6 E, from which

a Gum 24 in. diam. bear N70E26 lks. dist. of

a Beech 24 " " " S73W32 " "

First 1/2 mile good level land - last 1/2 flat rich  
timber Sugar, Beech, Elm &c.

North On E. boundary of Sec. 25, T4 N. R6 E.

20.00 a Brook 3 lks. wide Course S. W.

37.25 a W. Oak 12 in. diam.

40.00 Set of Sec. post, from which

a Gum 24 in. diam. bear S82W25 lks. dist. of

a Beech 18 " " " N49E37 " "

51.00 a Brook 4 lks. wide Course W.

79.20 a Poplar 45 in. diam.

80.00 Set post Cor. to Sec. 24 of 25, T4 N. R6 E, from which

a Hickory 15 in. diam. bear S45E20 lks. dist. of

a Beech 16 " " " N18E48 " "

Level rich land timber Poplar, Ash, Oak &c.

# 417

## T4N R7E. 2<sup>d</sup>. Mer. Indiana

ch. P. M.  
 North On E. boundary of Sec. 24, T4N. R6E.  
 15.00 a Brook 3 lks. wide Course W.  
 28.00 a Beech 14 in. diam.  
 40.00 Set gr. Sec. post, from which  
     a Beech 12 in. diam. bray N22W 17 lks. dist. of  
     a Do. 12 " " " S80E 27 " "  
 45.00 a Brook 3 lks. wide Course W.  
 60.00 a W. Oak 36 in. diam.  
 61.00 enter a Swamp  
 80.00 Set post in Swamp Cor. to Sec. 13 & 24, T4N.  
     R6E east, from which  
     a Gum 8 in. diam. bray S64E 19 lks. dist. of  
     a Maple 10 " " " S56W 13 " "  
     Level Beech land part Swamp

---

North On E. boundary of Sec. 13, T4N. R6E.  
 39.00 a Poplar 36 in. diam.  
 40.00 Set gr. Sec. post, from which  
     a Beech 12 in. diam. bray N24W 7 lks. dist. of  
     an Elm 14 " " " S63E 11 " "  
 72.00 a Creek 10 lks. wide Course S.W.  
 80.00 Set post Cor. to Sec. 12 & 13, T4N. R6E from which  
     a Beech 12 in. diam. bray N87E 19 lks. dist. of  
     an Ironwood 6 " " " N78W 23 " "  
 This line passes over pretty good bottom, cut  
 to pieces with many cuts. Aug. 22<sup>d</sup>. 1806

---

North On E. boundary of Sec. 12, T4N. R6E.  
 11.50 a Brook 10 lks. wide Course W.  
 28.50 a Poplar 16 in. diam.  
 40.00 Set gr. Sec. post, from which  
     a Gum 12 in. diam. bray S80E 6 lks. dist. of  
     a W. Oak 18 " " " N60W 14 " "  
 58.00 to South side of a pond  
 64.00 to North side of do  
 69.50 to Main branch of White River 300 lks. wide S.W.

T4 N R7 E. 2<sup>d</sup>. Mer. Indiana

ch. lth  
 80.00 Set post Cor. to Sec. 1 & 12, T4 N. R6 E, from which  
 a Beech 14 in. diam. bray N43 E 17 lth. dist. &  
 a do. 12 " " " S30 W 15 "  
 Over wet bottom land, timber Beech, Elm &c.

North On E. boundary of Sec. 1, T4 N. R6 E

10.00 a Brook 3 lth. wide Course E.

32.00 a W. Oak 36 in. diam.

40.00 Set q<sup>r</sup>. Sec. post, from which  
 a Beech 20 in. diam. bray S75 E 14 lth. dist. &  
 a do. 18 " " " S74 W 15 " "

43.00 a Brook 3 lth. wide Course E.

44.40 a Poplar 50 in. diam.

54.75 a do 50 " "

80.00 Set post Cor. to Township, 4 & 5 North, of  
 Range, 6 & 7 East, from which  
 a Beech 16 in. diam. bray S18 W 45 lth. dist. &  
 a do. 14 " " " S16 E 31 " "  
 Level land timbered with Beech & Poplar  
 Surveyed by

Alexander Holmes  
 Deputy Surveyor

Subdivision. Jan. 28<sup>th</sup> 1807

North Between Sec. 35 & 36

38.20 a W. Oak 36 in. diam. in the line

40.00 Set q<sup>r</sup>. Sec. post, from which  
 a Beech 12 in. diam. bray S5 E 19 lth. dist. &  
 a W. Oak 40 " " " N3 E 60 " "  
 Over level 2<sup>d</sup>. rate land Beech, Oak & Poplar

72.77 a Poplar 15 in. diam. in the line

80.00 Set post Cor. to Sec. 25, 26, 35 & 36, from which  
 a W. Oak 24 in. diam. bray East 17 lth. dist. &  
 a Poplar 12 " " " N77 W 3 " "  
 Over level 2<sup>d</sup>. rate land, timber Beech, Oak  
 & Poplar, underg<sup>th</sup>. briar.

# 419

## T<sup>h</sup> N R<sup>7</sup> E, 2<sup>d</sup>. Mer. Indiana

ch. l. lth.

East On Rand<sup>m</sup>. between Sec<sup>s</sup>. 25 & 36

40.00 Set temp<sup>y</sup>. gr. Sec. post

Over rolling 3<sup>d</sup>. rate land, timber Beech, Oak  
Poplar &c. underg<sup>d</sup>. Greenbrier

40.50 a Stream 8 lth. wide Course N.

65.50 a Brook 20 " " " N.

80.85 intersected E. boundary 5 lth. N. of post  
Over rolling 3<sup>d</sup>. rate land, timber &c. same as  
on the 1<sup>st</sup> 1/2 mile

West On true line between Sec<sup>s</sup>. 25 & 36

40.42 1/2 Set gr. Sec. post at average dist. from which  
a Beech 15 in. diam. bear N 34 W 31 lth. dist. &  
a W. Oak 12 " " " N 41 W 36 " "

80.85 to Sec. Corner.

North Between Sec<sup>s</sup>. 25 & 26

27.60 a Stream 10 lth. wide Course N 30 W

29.40 a Beech 15 in. diam. in the line

40.00 Set gr. Sec. post, from which

a W. Oak 10 in. diam. bear N 34 W 26 lth. dist. &  
a Beech 15 " " " N 17 E 17 " "

Over rolling 3<sup>d</sup>. rate land Beech, Oak & Poplar

74.10 a Hickory 18 in. diam. in the line

80.00 Set post Cor. to Sec<sup>s</sup>. 23, 24, 25 & 26, from which  
a Hickory 20 in. diam. bear N 37 W 40 lth. dist. &  
an Elm 10 " " " N 41 W 19 " "

Level 3<sup>d</sup>. rate land, timber Beech, Oak, Hick.  
Hem & Poplar, thick undg<sup>d</sup>. brush & Greenbrier

North Between Sec<sup>s</sup>. 34 & 35

21.75 a Stream 6 lth. wide Course S. E.

22.00 a Beech 15 in. diam. in the line

40.00 Set gr. Sec. post, from which

a Beech 15 in. diam. bear N 15 W 18 lth. dist. &

a Dog 8 " " " N 35 E 35 " "



420

L. N. R. & E. D. Mer. Indiana

Ch. M. H.

Over rolling 2<sup>d</sup>. rate land, beech, oak & poplar  
 69.40 a Beech 20 in. diam. in the line  
 80.00 Set post cor. to Sec. 26, 27, 34 & 35, from which  
 a Sugar 15 in. diam. bears S 26 E 19 lbs. dist. 8  
 an Ash 12 " " " N 86 W 25 "  
 Over rolling 2<sup>d</sup>. rate timber, timber Beech  
 Oak, Hickory and Poplar

East On Randm. between Sec. 26 & 35

40.00 Set tempy q. Sec. post. Over level 2<sup>d</sup>. rate land the  
 timber Beech Ash poplar—  
 79.75 Intersected the N. & S. line 40 lbs. N. of post. Over level  
 3<sup>d</sup>. rate land timber Beech Oak thick undergrowth of brush.

West Corrected between Sec. 26 & 35

37.82 Set q. Sec. post. at average dist. from which  
 a Maple 18 in. dia. bears North 3 lbs. dist. 4  
 a Do. 6 " " " S 37 W 19 "  
 79.75 to Section Corner

North Between Sec. 26 & 27.

13.50 a Barrow 8 lbs. wide Course W.  
 21.15 a W. Oak 36 in. dia. in the line  
 40.00 Set q. Sec. post, from which  
 a Gum 8 in. dia. bears S 57 W 57 lbs. dist. 4  
 an Elm 12 " " " N 44 E 9 "  
 Over level 2<sup>d</sup>. rate land, timber Beech Oak and Poplar  
 72.25 a B. Gum 20 in. dia. in the line  
 80.00 Set post cor. to Sec. 22, 23, 26 & 27, from which  
 a Beech 10 in. dia. bears N 1 W 38 lbs. dist. 8  
 a W. Oak 18 " " " S 7 W 25 "  
 Over level 3<sup>d</sup>. rate land timber Oak and Poplar  
 Jan'y. 28<sup>th</sup>. 1807

North Between Sec. 33 & 34.

20.90 a Beech 12 in. dia. in the line

421

T<sup>h</sup> N R<sup>7</sup> E. 2.<sup>d</sup> Mer. Indiana

ch<sup>d</sup>. l<sup>y</sup>.

- 40.00 Set q<sup>r</sup>. Sec. post, from which  
a Beech 5 in. dia<sup>r</sup>. bears N 27 E 12 l<sup>y</sup>s. dist. &  
a Do. 7 " " " S 37 W 14 " "  
Over level 2.<sup>d</sup> rate land timber Beech Oak and Poplar
- 69.50 a Brook 20 l<sup>y</sup>s. wide Course W.
- 74.72 a Beech 15 in. dia<sup>r</sup>. in the line
- 80.00 Set post Cor to Sec<sup>s</sup>. 27, 28, 33 & 34, from which  
an Ash 20 in. dia<sup>r</sup>. bears N 69 W 27 l<sup>y</sup>s. dist. &  
a Sugar 6 " " " S 21 E 6 " "  
Over level 2.<sup>d</sup> rate land timber Beech Oak Poplar-

East On Random between Sec<sup>s</sup>. 27 & 34

- 5.20 a Brook 10 l<sup>y</sup>s. wide Course S.
- 40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post, Over rolling 2.<sup>d</sup> rate  
land - timber Oak Beech Poplar &c.
- 144.50 a Brook 12 l<sup>y</sup>s. wide Course S. W.
- 80.50 Intersected the N. & S. line at the post, Over level  
2.<sup>d</sup> rate land timber Beech Oak & Poplar-

West Corrected between Sec<sup>s</sup> 27 & 34.

- 40.25 Set q<sup>r</sup>. Sec. post, at average dist. from which  
a Beech 15 in. dia<sup>r</sup>. bears S 70 W 47 l<sup>y</sup>s. dist. &  
a Sugar 18 " " " N 77 E 15 " "  
80.50 to Section Corner

North Between Sec<sup>s</sup>. 27 & 28.

- 4.05 a Poplar 36 in. dia<sup>r</sup>. in the line
- 30.00 a Brook 8 l<sup>y</sup>s. wide Course W.
- 40.00 Set q<sup>r</sup>. Sec. post, from which  
a Beech 10 in. dia<sup>r</sup>. bears S 73 W 24 l<sup>y</sup>s. dist. &  
a Beech 12 " " " S 73 E 17 " "  
Over level 2.<sup>d</sup> rate land timber Beech Oak and Poplar-
- 73.77 a Hickory 15 in. dia<sup>r</sup>. in the line
- 80.00 Set post Cor. to Sec<sup>s</sup>. 21 22, 27 & 28, from which  
a Poplar 36 in. dia<sup>r</sup>. bear N 55 E 21 l<sup>y</sup>s. dist. &  
a Beech 12 " " " S 30 W 19 " "

# Lot P 16. 2<sup>nd</sup> Mer. Indiana

ch. lks

Over level 2<sup>nd</sup> rate land timber Oak Beech & Poplar

North Between Secs. 32 &amp; 33.

22.61 a Maple 18 in. dia. in the line

40.00 Set of. Sec. post, from which

a Beech 12 in. dia. bears N 81 W 22 lks. dist. 4

a No. 12 " " " N 70 E 5 " "

Over level 2<sup>nd</sup> rate land timber Beech Poplar & Hickory.

80.00 Set post Cor To Secs. 28 29 32 &amp; 33, from which

a Beech 18 in. dia. bears N 27 E 24 lks. dist. 4

an Ash 10 " " " S 55 W 14 " "

Over level 1<sup>st</sup> rate land timber Beech Oak Poplar  
Sugar and Ash &c.

East On Random between Secs. 28 &amp; 33.

19.50 a Brook 20 lks. wide Course N. 70 W.

40.00 Set temp. of. Sec. post, Over rolling 2<sup>nd</sup> rate  
land timber Beech Oak and Poplar

80.10 Intersected the N. &amp; S. line 10 lks. S. of post

Over level 2<sup>nd</sup> rate land timber Oak Beech Sugar &c.

West Corrected between Secs. 28 &amp; 33.

40.05 Set of. Sec. post, from which

a Sugar 12 in. dia. bears S 1 W 18 lks. dist. 4

a No. 6 " " " S 78 W 10 " "

80.10 to Section Corner

North Between Secs. 28 &amp; 29.

19.50 a Brook 20 lks. wide Course W.

40.00 Set of. Sec. post, from which

a Beech 8 in. dia. bears S 61 E 20 lks. dist. 4

a No. 18 " " " S 83 W 22 " "

Over rolling 2<sup>nd</sup> rate land timber Beech Oak Poplar &c.

80.00 Set post Cor. to Secs. 20, 21, 28 &amp; 29, from which

a Beech 10 in. dia. bears N 16 E 18 lks. dist. 4

a No. 10 " " " S 15 E 17 " "

# Sh. N. R. & E. 2<sup>d</sup>. Mer. Indiana

Ch. P. Mer.

Over rolling 2<sup>d</sup>. rate land timber Beech Oak and Poplar. January 29<sup>th</sup> 1807.

North Between Secs. 31 & 32.

25.00 an Elm 24 in. dia. in the line

33.00 a Brook 20 lks. wide Course W.

40.00 Set of Sec. post. from which  
a Beech 15 in. dia. bears N 6 W 42 lks. dist. &  
a Do. 18 " " " S 14 E 8

Over level 2<sup>d</sup>. rate land timber Beech Oak & Poplar

55.00 a Brook 20 lks. wide Course S. W.

60.90 a Beech 24 in. dia. in the line

80.00 Set post cor. to Secs. 29, 30, 31, & 32, from which  
a Beech 8 in. dia. bears S 26 E 6 lks. dist. &  
a Dogwood 6 " " " N 40 E 14 " "

Over rolling 2<sup>d</sup>. rate land timber Beech and Poplar

East On Random between Secs. 29 & 32.

40.00 Set temp. of Sec. post. Over level 1<sup>st</sup>. rate land  
timber Beech and Poplar.

80.40 Intersected the N. & S. line. 25 lks. S. of post  
Over level 1<sup>st</sup>. rate timber Beech Oak Ash Poplar.

West Corrected between Secs. 29 & 32.

40.20 Set of Sec. post at average dist. from which  
a Beech 10 in. dia. bears N 34 E 16 lks. dist. &  
a Do. 20 " " " S 72 W 36 " "

80 40 to Section Corner

West Between Secs. 30 & 31.

8.00 a Creek 30 lks. wide Course S.

23.65 an Ash 24 in. dia. in the line

40.00 Set of Sec. post, from which  
a Beech 18 in. dia. bears N 29 E 26 lks. dist. &  
a Do. 10 " " " S 19 E 23 " "

Over level 2<sup>d</sup>. rate land timber Beech Oak and Poplar



424

# Let Rye 2<sup>nd</sup> Mer. Indiana

ch. lks.

80.00 Intersected the W. boundary 82 lks. S. of post.  
 Set post Cor. to Sec. 30 & 31. from which  
 Hickory 8 in dia. bears S 18 E 4 lks. dist. &  
 a Beech 24 " " " N 18 W 17 " "  
 Over level 2<sup>nd</sup> rate land timber Beech, Oak, Hickory, Poplar, &c.

---

North Between Sec. 29 & 30.

4.40 a Beech 20 in. dia. in the line  
 4.50 a Brook 10 lks. wide course W.  
 10.00 a Creek 30 " " " S. 20 W.  
 40.00 Set q. Sec. post, from which  
 a Beech 18 in. dia. bears N 70 E 22 lks. dist. &  
 a No. 12 " " " S 55 W 24 " "  
 Over level 2<sup>nd</sup> rate land timber Beech and Poplar  
 56.90 a W. Oak 30 in. dia. in the line  
 80.00 Set post Cor. to Sec. 19, 20, 29 & 30, from which  
 a Beech 30 in. dia. bears S 28 W 38 lks. dist. &  
 a No. 12 " " " N 60 E 8 " "  
 Over level 2<sup>nd</sup> rate land timber Beech Oak and Poplar

---

West Between Sec. 19 & 30.

3.12 a Poplar 50 in. dia. in the line  
 40.00 Set q. Sec. post, from which  
 a Poplar 20 in. dia. bears S 7 E 40 lks. dist. &  
 a Beech 20 " " " N 1 E 25 " "  
 Over level 1<sup>st</sup> rate land timber Beech Oak & Poplar  
 51.50 a Beech 48 in. dia. in the line  
 79.90 Intersected the W. boundary 1.47 lks. S. of post.  
 Set post Cor. to Sec. 19 & 30, from which  
 a Beech 15 in. dia. bears N 75 W 31 lks. dist. &  
 a No. 30 " " " S 83 E 26 " "  
 Over level 1<sup>st</sup> rate land timber Beech Ash & Poplar

---

East On Random between Sec. 20 & 29.

40.00 Set temp. q. Sec. post. Over level 5<sup>th</sup> rate land  
 timber Beech Oak and Poplar.

# T. N. R. E. 2<sup>d</sup>. Mer. Indiana

425

ch. lks.

80. 20 Intersected the N. & S. line 10 lks. N. of post. Over level 2<sup>nd</sup>. rate land timber Beech Oak and Poplar

West Corrected between Sec. 20 & 29.

40. 10 Set q. Sec. post, at average dist. from which  
a Beech 10 in. dia. bears N 18 E 18 lks. dist. &  
a B. Oak 18 " " " S 76 E 18 " "

80 20 to Section Corner

East On Random between Sec. 21 & 28

40. 00 Set temp. q. Sec. post. Over level 2<sup>nd</sup>. rate land timber Beech Oak and Poplar

73. 20 a Brook 12 lks. wide Course N. W.

80. 00 Intersected the N. & S. line, at the post  
Over level 2<sup>nd</sup>. rate land timber Beech Oak and Poplar

West Corrected between Sec. 21 & 28.

40. 00 Set q. Sec. post, at average dist. from which  
a Beech 15 in. dia. bears S 50 E 18 lks. dist. &  
a Do. 6 " " " N 79 E 5 " "

80. 00 to Section Corner. January 30<sup>th</sup>. 1807.

East On Random between Sec. 22 & 27.

11. 50 a Brook 8 lks. wide Course N. 60 W.

40. 00 Set temp. q. Sec. post. Over level 2<sup>nd</sup>. rate land timber Beech Oak B. Gum and Poplar

80. 60 Intersected the N. & S. line 30 lks. S. of post  
Over level 2<sup>nd</sup>. rate land timber Beech Oak and Poplar

West Corrected between Sec. 22 & 27.

40. 30 Set q. Sec. post at average dist. from which  
a Beech 15 in. dia. bears N 15 W 14 lks. dist. &  
a B. Gum 18 " " " S 15 E 39 " "

80. 60 to Section Corner

East On Random between Sec. 23 & 26.

## T4N R7E.2 Mer. Indiana

ch. l. l. l.

- 40.00 Set tempy. q. Sec. post. Over level 3<sup>rd</sup> rate land  
timber Beech Oak and Poplar
- 79.50 Intersected the N. & S. line 15 lks. S. of post. Over level  
3<sup>rd</sup> rate land timber Beech, Oak, Poplar, green <sup>Briers</sup> for wood<sup>ed</sup>.
- 

West Corrected between Secs. 23 &amp; 26.

- 39.75 Set q. Sec. post, at average dist. from which  
a Beech 8 in. dia. bears N 15 W 14 lks. dist. &  
a Do. 6 " " " N 85 E 29 " "
- 79.50 to Section Corner
- 

East On Random between Secs. 24 &amp; 25

- 40.00 Set tempy. q. Sec. post. Over level 3<sup>rd</sup> rate land  
timber Oak very thick of Brush and Briers
- 36.10 a Creek 25 lks. wide course N.
- 80.55 Intersected the E. boundary 5 lks. N. of post  
Over level 3<sup>rd</sup> rate land timber Beech and Oak.
- 

West Corrected between Secs. 24 &amp; 25.

- 80.22 Set q. Sec. post, at average dist. from which  
a B. Oak 20 in. dia. bears S 65 W 30 lks. dist. &  
a B. Oak 20 " " " N 54 E 47 " "
- 80.55 to Section Corner
- 

North Between Sections. 23 &amp; 24.

- 40.00 Set q. Sec. post, from which  
a Beech 18 in. dia. bears N 30 E 20 lks. dist. &  
a Hickory 18 " " " S 8 W 13 " "  
Over level 3<sup>rd</sup> rate land timber Beech Oak Hickory  
thick <sup>under</sup> growth of Briers.
- 53.40 a Beech 17 in. dia. in the line
- 80.00 Set post Cor. to Secs. 13, 14, 23 & 24, from which  
a Hickory 8 in. dia. bears N. 48 E 13 lks. dist. &  
a Beech 4 " " " S 48 W 5 " "  
Over rolling 3<sup>rd</sup> rate land timber Beech Oak  
Hickory and Poplar.

# St. R. E. D. Mer. Indiana

427

Ch. 164

North Between Secs. 22 & 23

25.00 a Brook 15 lks. wide Course N. & W.

38.25 a Brook 8 " " " W.

40.00 Set of Sec. post, from which  
a Wash 18 in. dia. bears N 46 E 33 lks. dist. &  
a Sugar 10 " " " S 50 W 33 " "

Over rolling 3<sup>rd</sup> rate land timber Beech Oak Sugar and  
Poplar thick undergrowth of briars

44.73 a B. Gum 18 in. dia. in the line

80.00 Set post Cor. to Secs. 14, 15, 22 & 23, from which  
a Beech 20 in. dia. bears N 36 W 12 lks. dist. &

a Maple 20 " " " S 34 E 36 " "

Over rolling 3<sup>rd</sup> rate land timber Beech Oak Poplar and  
B. Gum thick undergrowth of briars—

North Between Secs. 21 & 22.

7.50 a Brook 8 lks. wide Course N. W.

28.50 a Do. 8 " " " W.

36.00 a Do. 12 " " " W.

40.00 Set of Sec. post, from which  
a Beech 8 in. dia. bears N 80 E 27 lks. dist. &  
a Do. 18 " " " S 67 W 28 " "

Over rolling 3<sup>rd</sup> rate land timber Beech and Oak  
thick undergrowth—

53.15 a Beech 10 in. dia. in the line

75.00 a Creek 25 lks. wide course W.

80.00 Set post Cor. to Secs. 15, 16, 21 & 22, from which  
a Beech 18 in. dia. bears S 87 W 28 lks. dist. &

a Do. 15 " " " N 65 E 8 " "

Over hilly 3<sup>rd</sup> rate land timber Beech Oak and poplar.

January 31<sup>st</sup> 1807

North Between Secs. 20 & 21.

9.50 a Beech 20 in. dia. in the line

39.81 a Brook 15 lks. wide course W.

40.00 Set of Sec. post, from which

a Beech 12 in. dia. bears N 71 W 2 lks. dist. &



T<sup>h</sup> N<sup>th</sup> R<sup>te</sup> E. 2<sup>nd</sup> Mer. IndianaCh. l<sup>th</sup>.

- a B. Gum 18 in. dia. bears N 66 E 24 l<sup>th</sup>s. dist.  
 Over rolling 3<sup>rd</sup> rate land timber Beech Oak & Poplar  
 69.10 a Beech 20 in. dia.  
 77.50 a Brook 20 l<sup>th</sup>s. wide course N. W.  
 80.00 Set post Cor. to Secs. 16, 17, 20 & 21, from which  
 a Sugar 15 in. dia. bears S 10 W 17 l<sup>th</sup>s. dist. &  
 a Beech 15 " " " N 50 W 5 " "  
 Over level 2<sup>nd</sup> rate land timber Beech, Oak & Poplar
- 

North Between Secs. 19 &amp; 20

- 34.90 a Beech 24 in. dia. in the line  
 40.00 Set q<sup>r</sup>. Sec. post, from which  
 a Beech 36 in. dia. bears S 35 E 8 l<sup>th</sup>s. dist. &  
 a No. 22 " " " West 21 " "  
 Over level 2<sup>nd</sup> rate land timber Beech Oak & Poplar  
 74.50 a Beech 40 in. dia. in the line  
 80.00 Set post Corner to Secs. 17, 18, 19 & 20, from which  
 a Beech 10 in. dia. bears N 17 W 35 l<sup>th</sup>s. dist. &  
 a Sugar 8 " " " S 63 E 5 " "  
 Over level 2<sup>nd</sup> rate land timber Beech Oak and  
 Ash & Poplar.
- 

West Between Secs. 18 &amp; 19.

- 40.00 Set q<sup>r</sup>. Sec. post, from which  
 a Beech 24 in. dia. bear S 6 W 27 l<sup>th</sup>s. dist. &  
 a No. 8 " " " N 7 E 10 " "  
 Over level 1<sup>st</sup> rate land, timber Oak, Beech, Ash, Poplar,  
 80.10 Intersected the W. boundary 1.66 l<sup>th</sup>s. S. of post -  
 Set post, Cor. to Secs. 18 & 19, from which  
 a Maple 6 in. dia. bears S 45 E 16 l<sup>th</sup>s. dist. &  
 a No. 6 " " " N 23 W 36 " "  
 Over Rolling 2<sup>nd</sup> rate land timber Beech  
 Oak Ash and Poplar -
- 

East On Random between Secs. 17 &amp; 20

- 40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post, Over level 2<sup>nd</sup> rate

# Lat. R. & E. 2<sup>d</sup>. Mer. Indiana

ch. lks.

Land timber Beech, Oak, Ash, and Maple, Poplar,  
 58.00 a Creek 20 lks. wide course N.  
 75.00 a Do. 15 " " " N. W.  
 80.20 Intersected the N. & S. line 6 lks. N. of post.  
 Over rolling 2<sup>d</sup>. rate land timber Beech Oak Ash Poplar

---

West Corrected between Secs. 17 & 20.  
 40.10 Set q. Sec. post, at average dist. from which  
 a Beech 30 in. dia. bears S 67 E 40 lks. dist. &  
 a Do. 12 " " " N 17 E 27 " "  
 80.20 to Section Corner

---

East On Rand<sup>m</sup>. between Secs. 16 & 21  
 23.00 a Brook 20 lks. wide Course S. W.  
 40.00 Set temp. q. Sec. post  
 63.50 a Brook 20 lks. wide Course S. W.  
 80.10 Intersected the N. & S. line 12 lks. S. of post  
 This mile Over level bottom land, timber Beech  
 Oak & Poplar Feb. 1<sup>st</sup>. 1807

---

West On true line between Secs. 16 & 21  
 40.05 Set q. Sec. post, from which  
 an Elm 24 in. dia. bears S 65 E 8 lks. dist. &  
 an Ash 15 " " " N 65 W 13 " "  
 80.10 to Sec. Corner,

---

East On Rand<sup>m</sup>. between Secs. 15 & 22  
 25.00 a Brook 20 lks. wide Course N.  
 38.50 a Do 15 " " "  
 40.00 Set temp. q. Sec. post  
 Over hilly 3<sup>d</sup>. rate land Beech, Oak & Poplar  
 80.50 Intersected the N. & S. line 30 lks. S. of post  
 Over level 2<sup>d</sup>. rate land, Beech, Oak & Poplar

---

West Corrected between Secs. 15 & 22  
 40.25 Set q. Sec. post, at average dist. from which



# 431

## T<sup>h</sup> 1<sup>st</sup> R<sup>th</sup> E. 2<sup>d</sup> Mer. Indiana

ch<sup>d</sup> l<sup>th</sup>.

- 45.50 a Creek 30 l<sup>th</sup>s. wide Course W.  
 80.00 Set post Cor. to Sec<sup>s</sup>. 11, 12, 13 & 14, from which  
     a Beech 15 in. dia<sup>r</sup>. bray S 18° W 14 l<sup>th</sup>s. dist. of  
     a Do. 15 " " " N 24° W 11 " "  
 Over level 2<sup>d</sup> rate land Beech, Ash & Poplar
- 

East On Rand<sup>m</sup>. between Sec<sup>s</sup>. 12 & 13

- 11.00 a Brook 10 l<sup>th</sup>s. wide Course S.E.  
 40.00 Set q<sup>r</sup>. Sec. post, temporarily  
     Level 2<sup>d</sup> rate land Ash, Beech & Poplar  
 53.25 a Brook 8 l<sup>th</sup>s. wide Course S.  
 80.64 Intersected the E. boundary 85 l<sup>th</sup>s. S. of post  
     Over level 2<sup>d</sup> rate land, Beech, Ash & Poplar
- 

West On true line between Sec<sup>s</sup>. 12 & 13

- 40.32 Set q<sup>r</sup>. Sec. post at average dist. from which  
     a P. Gum 9 in. dia<sup>r</sup>. bray S 72° W 3 l<sup>th</sup>s. dist. of  
     a Hickory 4 " " " N 71° E 3 " "  
 80.64 to Sec. Corner
- 

North Between Sec<sup>s</sup>. 14 & 15

- 7.55 a Beech 15 in. dia<sup>r</sup>. in the line  
 40.00 Set q<sup>r</sup>. Sec. post, from which  
     a Beech 5 in. dia<sup>r</sup>. bray N 2° E 10 l<sup>th</sup>s. dist. of  
     a W. Oak 15 " " " S 43° W 18 " "  
     Over rolling 3<sup>d</sup> rate land, timber Oak & Poplar  
 64.80 a P. Oak 15 in. dia<sup>r</sup>. in the line  
 77.50 a Creek 30 l<sup>th</sup>s. wide Course W.  
 80.00 Set post Cor. to Sec<sup>s</sup>. 10, 11, 14 & 15, from which  
     a Beech 6 in. dia<sup>r</sup>. bray N 51° W 4 l<sup>th</sup>s. dist. of  
     a Do 8 " " " S 23° W 20 " "  
     Over rolling 3<sup>d</sup> rate land, Beech, Oak & Hickory
- 

North Between Sec<sup>s</sup>. 15 & 16

- 1.10 a Brook 6 l<sup>th</sup>s. wide Course W.  
 33.05 a Poplar 22 in. dia<sup>m</sup>.



# T4 N R 7 E 2<sup>nd</sup> Mer. Indiana

ch. lks

- 40.00 Set of Sec. post, from which  
 a Beech 8 in. diam. bray N 35 W 5 lks. dist. of  
 a Do. 12 " " " S 7 E 20 " "  
 This half mile over level 2<sup>nd</sup> rate land  
 timber Beech, Ash & Poplar
- 70.50 a Beech 18 in. diam. in the line
- 80.00 Set post Cor. to Sec. 9, 10, 15 & 16, from which  
 a Beech 6 in. diam. bray S 65 E 4 lks. dist. of  
 a Do. 15 " " " S 70 W 8 " "  
 This 1/2 mile is over level 2<sup>nd</sup> rate land  
 timber Beech, Oak & Poplar

North Between Sec. 16 & 17

- 36.50 a Brook 10 lks. wide Course W.
- 40.00 Set of Sec. post, from which  
 a Beech 6 in. diam. bray N 34 E 23 lks. dist. of  
 a Do. 7 " " " S 47 W 11 " "  
 Over level 2<sup>nd</sup> rate land, timber Beech,  
 Oak & Poplar, thick undergrowth of briars
- 55.00 a Water Course 10 lks. wide Course W.
- 68.50 a W. Oak 20 in. diam.
- 80.00 Set post Cor. to Sec. 8, 9, 16 & 17, from which  
 a Gum 10 in. diam. bray N 45 E 3 1/2 lks. dist. of  
 an Ash 10 " " " S 80 W 2 " "  
 Over level 2<sup>nd</sup> rate, timber Beech, Oak & Poplar

North Between Sec. 17 & 18

- 30.60 a Beech 20 in. diam.
- 40.00 Set of Sec. post from which  
 a W. Oak 61 in. diam. bray N 48 W 26 lks. dist. of  
 a B. Gum 10 " " " S 62 E 6 " "  
 Over low flat 3<sup>rd</sup> rate land Beech, Gum & Oak
- 64.68 a W. Oak 40 in. diam.
- 69.50 a Creek 30 lks. wide Course N.W.
- 80.00 Set post Cor. to Sec. 7, 8, 17 & 18, from which  
 a W. Oak 50 in. diam. bray N 13 W 19 lks. dist. of

433

S. N. R. E. 2<sup>n</sup>. Mer. Indiana

ch. lhr.

a Beech 24 m. dia. bray S 33 E 28 lhr. dist. of  
Over low flat 3<sup>n</sup>. rate land, timber Beech, Oak  
an Elm

---

Nest Between Sec. 7 & 18

2.00 a Creek 30 lhr. wide Course N.W.

26.65 a W. Oak 20 m. dia.

40.00 Set of Sec. post, from which  
a Beech 8 m. dia. bray N 39 W 6 lhr. dist. of  
a W. Oak 20 " " " S 28 E 6 " "  
Over level 2<sup>n</sup>. rate land Beech & Oak

51.00 a W. Oak 30 m. dia.

69.50 a creek 85 lhr. wide Course S.

80.25 intersected N. boundary 263 lhr. S. of post  
Set post cor. to Sec. 7 & 18, from which  
a Beech 8 m. dia. bray S 30 W 4 lhr. dist. of  
a Do. 10 " " " N 87 E 11 " "  
Over low flat 3<sup>n</sup>. rate land, Beech, Oak & Poplar.

---

East On Rand<sup>m</sup>. between Sec. 8 & 17

40.00 Set temp. of Sec. post

Level 2<sup>n</sup>. rate land Beech, Oak & Poplar

79.80 intersected the N & S. line 8 lhr. N. of post  
Level 2<sup>n</sup>. rate land Beech, Oak & Poplar

---

Nest Correlated between Sec. 8 & 17

39.90 Set of Sec. post at average dist. from which  
a Beech 6 m. dia. bray S 21 E 17 lhr. dist. of  
an Elm 15 " " " N 56 E 9 " "

79.80 to Sec. Corner.

---

East On Rand<sup>m</sup>. between Sec. 9 & 16

24.00 a Brook 8 lhr. wide Course N.

40.00 Set temp. of Sec. post

Level 2<sup>n</sup>. rate land, Oak, Beech & Poplar

64.00 a Brook 12 lhr. wide Course N.W.

434

T. N. R. E. I<sup>nd</sup>. Mer. Indiana

ch<sup>2</sup>. lks

80.00 Intersected the N of S. line 20 lks. S. of post  
Over rolling 2<sup>nd</sup> rate land, timber Beech, Oak  
& Poplar thick underg<sup>th</sup> of briars. Feb. 3<sup>rd</sup>. 1807

---

West Corrected between Sec. 9 & 16

40.00 Set of. Sec. post at average dist. from which  
a Beech 20 mi. dia. beam N 39 W 6 lks. dist. of  
a Do. 10 " " " N E 31 " "  
80.00 to Sec. Corner.

---

East On Randm. between Sec. 10 & 15

28.00 a Brook 10 lks. wide Course N.

40.00 Attempt of. Sec. post

Rolling 2<sup>nd</sup> rate land timber Oak, Beech  
and Hickory

73.20 a Creek 30 lks. wide Course N 65 W

80.44 Intersected the N of S. line 10 lks. S. of post  
Rolling 2<sup>nd</sup> rate land, timber Beech, Oak  
and Poplar.

---

West On true line between Sec. 10 & 15

40.22 Set of. Sec. post at average dist. from which  
a Beech 20 mi. dia. beam N 39 W 26 lks. dist. of  
a Do. 8 " " " N 69 E 9 " "

80.44 to Sec. Corner

---

East On Randm. between Sec. 10 & 14

40.00 Attempt of. Sec. post

Rolling 2<sup>nd</sup> rate land Beech, Oak & Poplar

79.80 Intersected the N of S. line 45 lks. S. of post  
Level 2<sup>nd</sup> rate land Beech, Oak & Poplar

---

West Corrected between Sec. 10 & 14

39.90 Set of. Sec. post at average dist. from which  
a Beech 20 mi. dia. beam N 49 E 4 lks. dist. of  
a Do. 5 " " " N 44 20 " "

# 435

## T4N R7E 2<sup>d</sup> Mer. Indiana

ch. P. Mks.

79.80 to Sec. Corner

North Between Secs. 11 & 12

20.10 a Beech 30 in. dia.

40.00 Set q<sup>r</sup>. Sec. post, from which

a Beech 24 in. dia. bears N 72 E 3 lks. dist. &

a No. 12 " " " N 67 W 26 " "

Rolling 2<sup>d</sup> rate land Beech, Poplar & Sugar tree

47.75 a Brook 8 lks wide course S. E.

58.75 a Beech 15 in. dia. in the line

80.00 Set post Cor. to Secs. 1, 2, 11 & 12, from which

a Beech 7 in. dia. bears S 53 E 18 lks. dist. &

a No. 8 " " " S 27 W 12 " "

Over level 2<sup>d</sup> rate land timber Beech, Ash, Poplar, Sugar,

East On Prandom between Secs. 1 & 12.

30.01 a Brook 10 lks. wide course N.

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post, Over level 2<sup>d</sup> rate land  
timber Beech and Poplar -

40.15 a Brook 15 lks. wide Course N. W.

80.36 Intersected the E. boundary 1.80 lks. S. of post.

Over level 2<sup>d</sup> rate land timber beech and Poplar

West Corrected between Secs. 1 & 12.

40.16 Set q<sup>r</sup>. Sec. post, at average dist. from which

a Beech 6 in. dia. bears S 30 W 15 lks. dist. &

a No. 6 " " " N 3 E 17 " "

80.36 to Section Corner

North Between Secs. 10 & 11.

40.00 Set q<sup>r</sup>. Sec. post, from which

a Beech 18 in. dia. bears S 22 E 31 lks. dist. &

a No. 24 " " " N 85 W 27 " "

Over level 2<sup>d</sup> rate land timber Beech, Oak, and, Poplar,

80.00 Set a post Cor. to Secs. 2, 3, 10 & 11, from which

a Beech 8 in. dia. bears S 31 W 18 lks. dist. &



# Lot N 127 E. 2.<sup>nd</sup> Mer. Indiana

Ch. Lks.

a Beech 18 in. dia. bears N 52 E 35 lks. dist.  
This mile is over level 2.<sup>nd</sup> rate land timber  
Oak Beech and Poplar-

North Between Secs. 9 & 10.

11.50 a Beech 20 in. dia. in the line

23.50 a Creek 30 lks. wide Course West.

40.00 Set q. Sec. post. from which

a Beech 24 in. dia. bears S 7 W 37 lks. dist. &

a No. 8 " " " N 55 W 9 "

This 1/2 mile over rolling land 2.<sup>nd</sup> rate Soil timber  
Beech and Poplar

40.85 a Brook 6 lks. wide Course W.

51.20 a W. Oak 60 in. dia. in the line

80.00 Set post Cor. to Secs. 3, 4, 9 & 10. from which

a Beech 12 in. dia. bears S 5 E 4 lks. dist.

and no more trees- This 1/2 mile over level  
2.<sup>nd</sup> rate land timber as above. February 5<sup>th</sup> 1807.

North Between Secs. 8 & 9.

38.50 a Creek 33 lks. wide Course W.

40.00 Set q. Sec. post. from which

a Beech 24 in. dia. bears N 43 E 15 lks. dist. &

a No. 6 " " " S 29 E 5 "

Over rolling 2.<sup>nd</sup> rate land timber Beech, Oak, & Poplar.

44.35 a Beech 12 in. dia. in the line

80.00 Set post Cor. to Secs. 4, 5, 8 & 9. from which

a Dogwood 5 in. dia. bears S 3 E 10 lks. dist. &

a Beech 8 " " " N 37 W 13 "

Over level flat 3.<sup>rd</sup> rate land timber, Oak, & Beech,

North Between Secs. 7 & 8.

20.55 a W. Oak 36 in. dia. in the line

30.50 a Brook 35 lks. wide Course W.

40.00 Set q. Sec. post. from which

a Beech 12 in. dia. bears S 4 E 44 lks. dist. &

# 437

## T4C R7E, 2<sup>nd</sup> Mer. Indiana

Ch. Lhs

- a Beech 10 in. dia. bears S 77 W 17 lks. dist.  
 This 1/2 mile is Over level flat land 3<sup>rd</sup> rate Soil  
 timber Beech & Oak—
- 70.00 a Creek 1.00 lks. wide Course S. E.  
 71.50 a Beech 10 in. dia. in the line  
 80.00 Set post Cor to Sect. 5, 6, 7, & 8, from which  
 a Beech 15 in. dia. bears N 62 E 29 lks. dist. &  
 a No. 8 " " " S 65 W 25 "  
 Over level 2<sup>nd</sup> rate land timber Beech Oak & Poplar
- 

- West Between Sect. 6 & 7 <sup>course</sup>  
 22.00 a Creek 50 lks. wide, S. W.  
 40.00 Set q. Sec. post, from which  
 a Hackberry 6 in. dia. bears N 30 E 21 lks. dist. &  
 a No. 8 " " " N 80 W 21 "  
 This 1/2 mile is Over level land—timber Beech, Ash,  
 Black Walnut and Poplar
- 48.10 a Beech 36 in. dia. in the line  
 55.00 a Brook 65 lks. wide Course N.  
 64.00 a No. 65 " " " S. W.  
 79.56 Intersected the W. boundary 3.42, lks. S. of post.  
 Set post Cor to Sect. 6 & 7, from which  
 a Beech 24 in. dia. bears N 6 W 6 lks. dist. &  
 a Hickory 15 " " " S 64 W 27 "  
 This 1/2 mile is Over level 3<sup>rd</sup> rate land—timber  
 Beech Sycamore & Elm—
- 

- North Between Sect. 5 & 6,  
 22.50 a Brook 50 lks. wide Course S. W.  
 40.00 Set, q. Sec. post, from which  
 a Beech 6 in. dia. bears N 49 W 39 lks. dist. &  
 a No. 20 " " " S 68 W 20 "  
 This 1/2 mile is Over level land 2<sup>nd</sup> rate Soil.  
 timber Beech & Poplar
- 60.00 a Beech 16 in. dia. in the line  
 84.60 Intersected the N. boundary 2.12, lks. W. of post.

438

T4 N- R7 E. 2.<sup>d</sup> Mer. Ind.<sup>a</sup>

Ch. lks

Set post Cor. to Sec. 5. & 6. from which  
 a Beech 5 in. dia. bears S 43 E 21 lks. dist. &  
 a No. 6 " " " N 70 W 9 " "  
 Over level 2.<sup>d</sup> rate land - timber as above -

East On Random between Sec. 5 & 8.

10.00 a Creech 1.00 lks. wide course S. 15 W.

40.00 Set temp. q. Sec. post, Over level 3.<sup>d</sup> rate land  
 timber Beech Poplar and Elm

80.00 Intersected the N. & S. line 5 lks. South of post  
 This 1/2 mile is over level 2.<sup>d</sup> rate land timber  
 Beech & Poplar -

West Corrected between Sec. 5 & 8.

40.00 Set q. Sec. post, at average dist. from which  
 a Beech 30 in. dia. bears N 67 E 25 lks. dist. &  
 a No. 15 " " " N 78 W 6 " "

80.00 to Section Corner. February 9<sup>th</sup> 1807.

East On Random between Sec. 4 & 9.

40.00 Set temp. q. Sec. post, Over level 2.<sup>d</sup> rate land  
 timber Beech Oak & Poplar -

80.20 Intersected the N. & S. line 15 lks. South of post  
 Over rolling land 2.<sup>d</sup> rate Soil timber Beech  
 Oak and Poplar -

West Corrected between Sec. 4 & 9.

40.10 Set q. Sec. post, at average dist. from which  
 a Beech 15 in. dia. bears N 19 W. 18 lks. dist. &  
 a No. 12 " " " S 66 W 16 " "

80.20 to Section Corner.

East On Random between Sec. 3 & 10.

40.00 Set temp. q. Sec. post, this 1/2 mile Over level  
 3.<sup>d</sup> rate land timber Beech & Poplar

79.90 a Brook 6 lks. wide course N.

# T4 N R7 E. 2.<sup>d</sup> Mer. Indiana

439

ch. lks

80.60 Intersected the N. & S. line 10 lks. S. of post.  
Over level 2.<sup>d</sup> rate land timber Beech & Poplar

---

West Corrected between Sec. 3 & 10.

40.30 Set qf. Sec. post. at average dist. from which  
a Beech 8 in. dia. bears S 18 E 12 lks. dist. &  
a No. 5 " " " N 32 W 22 " "

80.60 to Section Corner

---

East On Prandom between Sec. 2 & 11

40.00 Set temp. qf. Sec. post. Over level 2.<sup>d</sup> rate land  
timber Beech Oak & Poplar

63.00 a Brook 18 lks. dist. course North.

79.75 Intersected the N. & S. line 50 lks. South of post  
Over level 2.<sup>d</sup> rate land timber Beech & Poplar

---

West Corrected between Sec. 2 & 11

39.87 Set qf. Sec. post. at average dist. from which  
a Beech 15 in. dia. bears S 66 W 18 lks. dist. &  
a No. 10 " " " N 39 E 22 " "

79.75 to Section Corner.

---

North Between Sec. 1 & 2.

26.70 a Beech 18 in. dia. in the line

40.00 Set qf. Sec. post. from which

a Beech 30 in. dia. bears N 33 E 8 lks. dist. &

a No. 15 " " " N 75 E 17 " "

Over level flat 2.<sup>d</sup> rate land timber Beech Oak Sugar

43.25 a Creek 80 lks. wide Course West

53.57 a Sycamore 60 in. dia. in the line

82.60 Intersected the N. boundary 1.34 lks. W. of post

Set post Cor. to Sec. 1 & 2, from which

a Sugar 30 in. dia. bears N 25 W 16 lks. dist. &

a Beech 6 " " " S 58 W 16 " "

Over rolling 1.<sup>d</sup> rate land timber Beech Ash & Sugar-

---



# Let N R & E. 2<sup>d</sup> Mer. Indiana

Ch. L. lks.

North Between Secs. 2 & 3.

13. 00 a Beech 15 in. dia. in the line -

32. 50 a Brook 10 lks. wide Course N 20 W.

40. 00 Set of Sec. post, from which  
a Beech 18 in. dia. bears N 23 E 16 lks. dist. &  
a No. 6 " " " S 8 E 27 " "

Over rolling 2<sup>d</sup> rate land

53. 50 a Sugar 18 in dia. in the line

78. 60 a Creek 90 lks. wide Course West

82. 85 Intersected the N. boundary 2.06 lks. W. of post  
Set post Cor. to Secs. 2 & 3, from which

a Buckeye 12 in. dia. bears S 8 E 29 lks. dist. &

a Sugartree 12 " " " S 35 E 53 " "

Over level 2<sup>d</sup> rate land timber Beech Poplar Sugar &c.

North Between Secs. 3 & 4.

13. 50 a Brook 8 lks. wide Course N. W.

28. 40 a No. 10 " " " W.

40. 00 Set of Sec. post, from which  
a Beech 12 in. dia. bears N 32 W 27 lks. dist. &

a Sugar 20 " " " S 42 E 16 " "

This 1/2 mile is rolling 2<sup>d</sup> rate land timber Beech  
Poplar Sugartree &c.

50. 35 a Beech 15 in. dia. in the line

60. 00 a Brook 1.00 lks. wide Course W.

88. 80 Intersected the N. boundary 2.42 lks. W. of post

Set a post Cor. to Secs. 3 & 4, from which

an Ash 20 in. dia. bears N 18 W 7 lks. dist. &

a No. 12 " " " S 56 E 17 " "

Over level 1<sup>st</sup> rate land timber Beech, Oak, Poplar, Sugar &c.

North Between Secs. 4 & 5.

12. 65 a Beech 24 in. dia. in the line

35. 60 a Creek 95 lks. wide Course S. W.

40. 00 Set of Sec. post, from which

a Sycamore 60 in. dia. bears West 3 lks. dist. &

441

T4 N R7 E. 2.<sup>d</sup> Mer. Indiana

ch. l. lks.

a Maple 15 in. dia. bears S 79° W 27 lks. dist. 4.  
This 1/2 mile over level 2.<sup>d</sup> rate land - timber - Beech,  
Oak, and, Poplar,

81. 00 a Beech 20 in. dia. in the line

84. 34 Intersected the N. boundary 1.40 lks. N. of post

Set post Cor. to Sec. 4 & 5. from which

a Beech 30 in. dia. bears N 74° E 19 lks. dist. 4

a Do. 14 " " " S 63° W 6 " "

Over level 2.<sup>d</sup> rate land - timber - Beech, and, Poplar -

Surveyed By

Alexander Enos, D. S.

---

I certify that the foregoing transcript of field  
Notes of township T. 4 N. Range N. 7 East  
2.<sup>d</sup> Mer. Indiana, has been Comp<sup>d</sup>. with the  
Original Notes in this Office, and found to be  
Correct.

Surveyor General's Office

Cincinnati, Sept. 14.<sup>th</sup> 1842 William Johnston

Sur. Genl.

Comp<sup>d</sup>